Pramāṇa

journal of physics

Volume 25, July–December 1985

CONTENTS

Mathematical Physics

A virial approach to soliton-like solutions of coupled non-linear differential equations including the 't-Hooft-polyakov monopole equations
G P Malik, J Subba Rao and Gautam Johri 123–133

Asymptotic survival probability of random walks on a semi-infinite line
K P N Murthy 231–238

Gauging the conformal group *E A Lord and P Goswami* 635–640

Improved condition for the absence of bound states and converging analytic bounds to critical screening parameter
R Dutt, D Singh and Y P Varshni 641–647

Quantum Physics

Exact results on scattering by the potential $ae^{-\lambda r}/r$ with $\lambda = +0$
V J Menon 3–9

General Relativity and Gravitation

Symmetry breaking, phase transition and gravity *K P Sinha* 343–347

Lie groups and gravity theories *Tullio Regge* 349–352

Gravity induced weak symmetry breaking and supergravity *S P Misra* 353–361

deSitter space-time and rotation *P C Vaidya* 513–518

Statistical Physics

Quantum first-passage problem *N Kumar* 363–367

Entropic formulation of uncertainty relations *M D Srinivas* 369–375

The quantum measurement problem and selection of classical states
Rajendra Bhandari 377–382

The neutron interferometer as a macroscopic quantum device *H Rauch* 383–395

Causal stochastic interpretation of quantum statistics
Jean-Pierre Vigier 397–418

Spontaneous symmetry breaking in quantum many-body systems (A solid state physicists view of Goldstone's theorem and all that) *G Morandi* 419–430

Quantum mechanical tunneling *D K Roy* 431–438

Conformally invariant field theories in two dimensions and corresponding statistical mechanical models *Virendra Singh and B Sriram Shastry* 519–524

Exponentiation problem in the construction of an effective low-momentum hamiltonian for bosons *Partha Goswami* 649–661

Particle Physics

Charmed baryon magnetic moments in the covariant oscillator quark-model with isospin symmetry breaking *S K Das and C P Singh* 21–27

Electromagnetic mass splittings of heavier hadrons in quantum chromodynamics *C P Singh, C P S Verma and R L Singh* 149–156

Total scattering cross-section and extraction of low energy parameters of $\Sigma^{\pm}p$ scattering *S Mohanty, J K Mohapatra and S N Nayak* 157–163

Possible evidence for purely power-suppressed correction to scaling *B P Mahapatra* 239–249

Field theories on a lattice *N D Hari Dass* 439–446

Phase transition in gauge theories *S N Biswas* 447–456

Boson stochastic calculus *K R Parthasarathy* 457–465

Bose condensation of particle-antiparticle systems *K P Sinha* 467–472

Pionic corrections to the masses of heavier hadrons in the bag model *K P Tewari and C P Singh* 525–531

Neutron-proton elastic scattering at high energies and small momentum transfers *Fazal-e-Aleem and Mohammad Saleem* 533–537

An effective potential for heavy quark antiquark bound system *B K Barik and B B Deo* 663–671

Transport coefficients of quark-gluon plasma *S Chakrabarty* 673–683

Scaling of differential cross-section in high energy proton-helium scattering *Sunachand Patel* 685–694

Nuclear Physics

Track recording properties of soda glass detector for accelerated heavy ions *S M Farid* 29–41

Charge division mechanism in low energy binary fission and the passage of prompt fragments towards the β-stable products in terms of the double core model *P Basu, P Bhattacharya and M L Chatterjee* 165–173

Ground-state occupancies of *f-p-g* shell nuclei
N Naik, S Ramkumar, P Shenoy and N Tressler 251–258

Annealing of heavy ion tracks in cellulose nitrate plastic track detectors
S M Farid 259–265

Some comments on the Coriolis attenuation problem
A K Jain and Kiran Jain 267–273

The nucleon as a soliton *A P Balachandran* 473–479

Experimental Techniques and Instrumentation

Design and development of a superconducting magnet system for study of magnetoresistance in the temperature range 1·5–300 K
A K Nigam, S Sundaram and Girish Chandra 11–20

Efficiency calibration of Si(Li) and HpGe detectors in the energy range of 5–60 keV *H R Verma* 565–569

Atomic and Molecular Physics

$^{1,3}(n-\pi^*)$ excited states of benzaldehyde *R D Tewari and P C Mishra* 43–48

The effect of exchange in autoionization processes
J P Mohanty, C S Singh and D K Rai 175–177

Intensity distribution in the bands of the $D^1\Pi \rightarrow X^1\Sigma^+$ system of SnO
N Rajamanickam 179–186

Estimation of dissociation energy of the AsS molecule
R R Reddy, A S R Reddy and T V R Rao 187–190

Rare gas dimers in a nozzle beam *P K Chakraborti* 191–200

Determination of force fields for two conformers of nitromethane by CNDO/Force method *R Brakaspathy, A Jothi and Surjit Singh* 201–209

L-shell ionization of atoms by relativistic electrons *S Chakraborty* 275–280

On the direct determination of constrained pure state one-electron density matrices: Part I. A new theoretical model for closed-shell systems
K K Das, Priyotosh Khan and S P Bhattacharyya 281–290

Theory of coherent, degenerate two-photon absorption and emission
Sunil Kumar 291–309

Line narrowing beyond natural linewidth in radiation matter interaction
G S Agarwal 481–490

Bose-Einstein condensation in spin-polarized atomic hydrogen: A new superfluid *K N Shrivastava* 491–496

Computer calculation of positron diffusion and annihilation in atomic hydrogen *K V Sinha and P S Grover* 539–546

Semiempirical molecular orbital calculations for ketene dimers
C P D Dwivedi 547–555

Einstein A-coefficients for pure rotational transitions in D_2O
Suresh Chandra, D A Varshalovich and W H Kegel 557–563

Elastic-scattering cross-section for electrons and positrons from atomic hydrogen *V L Narasimham, A S Ramachandran and C S Warke* 695–712

Spectroscopy

Emission spectrum of MgCl molecule in 5030–4380 Å
A B Darji, N R Shah, P M Shah, M B Sureshkumar and G S Desai 571–574

Optics

Group theoretical methods in optics *N Mukunda* 497–503

Study of synchronously mode-locked and internally frequency-doubled cw dye laser *K P J Reddy* 713–718

Plasma Physics

Transport in boundary layer of divertor tokamaks
S B Halder and P Dasgupta 49–61

Effect of lateral energy transport of ablation pressure scaling in laser irradiated planar foil targets
L J Dhareshwar, P A Naik, S Sharma and H C Pant 63–70

Ion-sound turbulence due to shock gradients in collisonless plasmas
N Gopalswamy and G Thejappa 575–585

Solid State Physics

X-ray determination of mean Debye-Waller factors and Debye temperatures of the $K_xRb_{(1-x)}Br$ mixed crystal system
K Srinivas and D B Sirdeshmukh 71–73

High pressure phase transitions in organic solids I: $\alpha \rightarrow \beta$ transition in resorcinol
Surinder M Sharma, V Vijayakumar, S K Sikka and R Chidambaram 75–79

Electric field gradients in simple tetragonal lattice at interstitial site
D P Verma, B Kumar and H C Verma 211–215

Electrical second harmonic generation in the autostabilized state of ferroelectric solid solutions (lead, strontium) titanate and (lead, calcium) titanate *S H Chavan and U N Kulkarni* 217–220

Thermal conduction through porous and dispersed three-phase systems
Ramvir Singh, R S Beniwal, R N Pande and D R Choudhary 311–317

A theoretical study of stress-induced effects on Mössbauer impurities forming dislocations in some b.c.c. and f.c.c. metals
S K Roy and N Kundu 319–326

Secondary electron emission of sputtered alumina films
N R Rajopadhye and S V Bhoraskar 327–334

Broken symmetry in antiferromagnets *C K Majumdar* 505–512

Theoretical optimisation of metal *p-n* silicon Schottky barrier solar cell
C Francis Xavier, G A Sevariraj and Vikram Kumar 587–596

A simple approach to evaluation of lattice sums
Subinay Dasgupta, D Sen and S Sengupta 597–601

Three-body interactions, rotational invariance and the elastic consistency of lattice dynamical models for face centred tetragonal indium
V Ramamurthy and S B Rajendra Prasad 603–616

On the critical temperature of a superconducting system
C M Srivastava 617–633

Electron spin resonance studies of Vo^{2+} in cadmium maleate dihydrate single crystals *V Chandra Mouli and G Sivarama Sastry* 719–722

Mechanoluminescence excitation in alkali halide crystals and decay of colouration in their microcrystalline powders *B P Chandra, R D Verma, M S K Khokhar, S V Moharil, K K Batra and B T Deshmukh* 723–731

Liquids

Dielectrophoretic transients effects on liquid stability
D S Parmar and Bimla Labroo 81–94

Environmental effects on electronic excitation energy transfer in organic liquid scintillators *R D Mathad* 95–99

First order quantum correction to the free energy of simple liquids
S K Datta 335–340

Equilibrium theory of two-dimensional simple liquids
T P Singh and S K Sinha 733–743

Properties of hard disc fluids by Baxter's method *B B Deo and B P Das* 745–754

Cosmology

Accretion onto a Kerr black hole in the presence of a dipole magnetic field
B R Iyer, C V Vishveshwara, P J Wiita and J J Goldstein 135–148

Review Article

Review of theoretical gain-optimization studies in 10·6 μm CO_2–N_2 gasdynamic lasers *K P J Reddy and N M Reddy* 101–117

Comments

The inconsistency of a model for internal structure of black holes
C Sivaram 221–222

Some remarks on a model for internal structure of black holes
P Goswami and K P Sinha 223–224

Letters

Pressure studies on two discotic liquid crystals *V N Raja, R Shashidhar, S Chandrasekhar, R E Boehm and D E Martire* L119–L122

A basis for the synthesis of quasicrystals
P Ramachandrarao and G V S Sastry L225–L230

Subject Index 755

Author Index 765

Pramāṇa

journal of physics

Notes on the preparation of papers

Authors wishing to have papers published in Pramāṇa should send them to Editorial Office.

Three copies of the paper must be submitted.
The submission of a paper will be held to imply that it represents the results of original research not previously published; that it is not under consideration for publication elsewhere; and that if accepted for Pramāṇa it will not be published elsewhere. Papers should not normally exceed 8000 words.

Typescript:

Papers must be written clearly and concisely in English, the preferred spelling being that of the Concise Oxford Dictionary. They must be typed double spaced with ample margin on all sides on white bond paper, 292 × 210 mm. This also applies to the abstract, tables, figure captions, and the list of references which are to be typed on separate sheets.

Title page:

The first page must bear (*a*) the title of the paper; (*b*) the initials and names of the authors; (*c*) the name and address of the institution where the work was carried out; (*d*) the permanent or present addresses of the authors, if different from (*c*); and (*e*) the American Physical Society classification number for the manuscript. A copy of the APS classification scheme can be obtained from the Academy. Authors should suggest an abbreviated running title of not more than 50 letters and spaces. Title must be specific and should contain words useful for indexing.

Abstract:

All papers must have an abstract of not more than 200 words of the significant results reported in the paper.

Keywords:

Between 3 and 6 keywords must be provided for indexing and information retrieval services.

List of Symbols:

Authors should attach to the manuscript a complete list of symbols identified typographically, not mathematically. This list will not appear in print, but it is essential in order to avoid costly corrections at the proof stage.

The Text:

The paper must be divided into sections starting preferably with 'Introduction' and ending with 'Conclusions'. The main sections should be numbered 1, 2, 3, etc. and subsections 2.1., 2.2, etc.

References:

References should be cited in the text by author and year, not by number. If there are more than two authors, reference should be to the first author followed by *et al* in the text, but names of all authors must be given in the list of references at the end. References at the end of the paper

should be listed alphabetically by authors' names, followed by initials, year of publication, name of the journal (abbreviated in the standard form, as in *Chemical Abstracts*), volume number, and number of the first page. References to book should include: name(s) of author(s), initials, year of publication, title of the book, edition if not the first, initials and name(s) of editor(s) if any, preceded by ed(s), place of publication, publisher, and chapter or pages referred to. References to thesis must include the year, the title of the thesis, the degree for which submitted and the university.

Mathematical Material:

Equations must be clearly written, each on its own line, well away from the text. All equations must be numbered consecutively in arabic numerals with the number in parentheses near the right hand margin. Indices or superscripts must be indicated in pencil with a ∨ sign and subscripts with a ∧ sign; 'oh' and 'zero', K, *k*, and kappa, 'ell' and one, etc., must be clearly distinguished. Authors must indicate wherever special characters (Greek, German, script, scalar, vector, tensor, matrix, etc.) are required. All other letters will be set in italic types. Vectors must be underlined by a wavy line and tensors by two wavy lines. The SI system of units and symbols is recommended.

Figures:

All figures, including photographs which must be glossy prints, should be numbered consecutively in arabic numerals in the order of occurrence in the text. Figure captions must be typed on a separate sheet.

Line drawings must be in Indian ink on good quality tracing paper or white card of the same size as the text paper or smaller. Curves should be drawn sufficiently thick to permit reduction to one half or even one third of the original size. The axes must be about 0·3 mm thick and the curves 0·6 mm thick.

Tables:

All tables must be numbered consecutively in arabic numerals in the order of appearance in the text. The tables should be self-contained and have a descriptive title. Column headings of tables should be brief. Extensive tables will be reproduced photographically and should therefore be typed carefully and in the exact format desired. Footnotes to the tables, if any, should be identified by superscript letters and placed at the bottom of the page containing the table.

Footnotes:

Footnotes to the text should be avoided if possible but when necessary should be numbered consecutively, and typed on a separate sheet.

Appendices:

All appendices should be numbered consecutively in arabic numerals.

Proofs:

Normally two sets of page-proofs are sent to authors for correction along with a reprint order form and one set of corrected proof should be returned to the editorial office within two days of receipt. If the corrected proof is not received within a reasonable number of days, it will be presumed that the authors have no corrections to make.

The articles are typeset by computer photocomposition and printed by offset process. While this process is neat, it makes corrections at the proof stage very difficult and expensive. Addition or deletion of a letter, a word or a sentence in the proof means resetting the whole line or para and sometimes a few pages. Authors are therefore requested to indicate only typographical or composing errors. Fresh corrections which are absolutely essential and unavoidable can be indicated but will be charged to the authors at actuals.

Reprints:

50 reprints of each article will be supplied free of charge.



Digitized by the Internet Archive
in 2023 with funding from
Kahle/Austin Foundation

https://archive.org/details/pramana_1985_25_contents